

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 WHEREAS, the Vision Zero Action Plan YIR for 2023 recommended the
2 establishment of a permanent funding source for the Vision Zero program to
3 plan, design, implement, and maintain transportation infrastructure; and

4 WHEREAS, the Vision Zero Action Plan YIR for 2023 recommended that the
5 City support ongoing comprehensive educational marketing and engagement
6 campaigns that address the rate and severity of crashes, promote slower
7 speeds, and raise general awareness about traffic safety; and

8 WHEREAS, City Council adopted the Citywide Rank 2 Bikeway and Trail
9 Facilities Plan (2024 BTFP), repealing and replacing the 2015 City of
10 Albuquerque Bikeways and Trails Facility Plan; and

11 WHEREAS, the 2024 Bikeway and Trail Facilities Plan creates useful and
12 comfortable connections and encourages more people to choose bicycling as
13 a mode of transportation, creating a virtuous cycle where drivers become
14 more cognizant of bicyclists and safety increases; and

15 WHEREAS, the 2024 Bikeway and Trail Facilities Plan is consistent with the
16 applicable goals and policies of the Albuquerque/Bernalillo County
17 Comprehensive Plan, Complete Streets Ordinance, Vision Zero Action Plan
18 Year in Review, Climate Action Plan, and other regional planning documents
19 and programs; and

20 WHEREAS, page 115 of the 2024 Bikeway and Trail Facilities Plan
21 recommends, “In partnership with the community and advocates, the City
22 should reevaluate its existing rules, laws, and policies that impact people
23 bicycling and walking and investigate if there are opportunities to remove or
24 improve them in alignment with recent national best practices;” and

25 WHEREAS, representatives of the Mayor’s Office, City Council, the
26 Department of Municipal Development, and the Parks & Recreation
27 Department met with community members, advocates, and state legislators to
28 evaluate existing rules, laws, and policies that impact people bicycling and
29 walking, and to review and discuss proposed changes contained herein.

30 BE IT ORDAINED BY THE COUNCIL, THE GOVERNING BODY OF THE CITY OF
31 ALBUQUERQUE:

32 SECTION 1. ROA 1994, Chapter 8, Article 1 General Provisions of the Traffic
33 Code is amended as follows:

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 § 8-1-1-2 DEFINITIONS.

2 [BIKEWAY. A generic term for any road, street, path or way which in some
3 manner is specifically designated for bicycle travel, regardless of whether
4 such facilities are designed for the exclusive use of bicycles or are to be
5 shared with other transportation modes.

6 **CROSSWALK.** That part of the roadway at an intersection included within the
7 prolongation or connection of the lateral lines of the sidewalks on opposite
8 sides of the highway measured from the curbs, or in the absence of curbs,
9 from the edges of the traversable roadway[, whether marked or unmarked;
10 or[-A][a]ny portion of a roadway, at an intersection[, multi-use trail crossing,]
11 or elsewhere, distinctly indicated for [pedestrian][vulnerable road user]
12 crossing by [signage, traffic control devices, or] lines or other markings on the
13 surface.

14 [MULTI-USE TRAIL. A separate pathway that is physically separated from
15 motor vehicle traffic by a buffer or barrier and either within the highway right-
16 of-way or within an independent right-of-way. Multi-use trails are designated
17 by signs for use by non-motorized traffic only, including pedestrians,
18 bicyclists, skaters, scooters, e-bikes or powered micromobility devices,
19 wheelchair users, joggers, other non-motorized users, and equestrians. Not all
20 trails may accommodate all of these uses. Most trails are designed for two-
21 way travel. Trails may be either hard-surface or soft-surface; or paved or
22 unpaved.]

23 **PEDESTRIAN.** Any person [afoet] [traveling by foot, wheelchair, or
24 personal assistive mobility device].

25 [PEDESTRIAN HYBRID BEACON (PHB). A traffic control device designed to
26 help vulnerable road users safely cross higher-speed roadways at midblock
27 crossings and uncontrolled intersections. The beacon head consists of two
28 red lenses above a single yellow lens. The lenses remain "dark" until a
29 vulnerable road user desiring to cross the street pushes the call button to
30 activate the beacon, which then initiates a yellow to red lighting sequence
31 consisting of flashing and steady lights that directs motorists and bicyclists in
32 the roadway facing the vehicular signal to slow and come to a stop, and
33 provides the right-of-way to the vulnerable road user to safely cross the

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 roadway in the crosswalk before going dark again. Also known as a HAWK
2 (High-intensity Activated crossWalk) Signal.]

3 [RECTANGULAR RAPID FLASHING BEACONS (RRFB). A traffic control
4 device designed to enhance vulnerable road user conspicuity and increase
5 driver awareness at uncontrolled, marked crosswalks, used in combination
6 with a pedestrian, bicycle, school, or trail crossing warning sign. RRFBs
7 consist of two rectangular-shaped yellow lights that flash with an alternating
8 high frequency when activated.]

9 *RIGHT OF WAY.* As between two or more vehicles~~[, bicycles, or pedestrians]~~
10 [and/or vulnerable road users], the privilege of the immediate use of the
11 roadway.

12 [VULNERABLE ROAD USER. The term “vulnerable road user” includes:

13 (a) A pedestrian, including those persons actually engaged in work upon a
14 public way, or in work upon utility facilities along a roadway, or engaged
15 in the provision of emergency services within the right-of-way;

16 (b) A person riding or leading an animal;

17 (c) A person lawfully operating or riding any of the following on a public
18 way:

19 (1) Bicycle or tricycle;

20 (2) A skateboard;

21 (3) Roller skates;

22 (4) In-line skates;

23 (5) A scooter;

24 (6) An e-bike or powered micromobility device;

25 (7) A wheelchair or other personal assistive mobility device; or

26 (8) Any device designed to be used on the roadway or sidewalk that
27 is not a motor vehicle.]

28 § 8-1-2-22 CROSSWALKS AND SAFETY ZONES.

29 The Mayor, or ~~[his]~~[their] designated representative, upon the basis of
30 engineering and traffic study and investigation, is hereby authorized to:

31 (A) Designate and maintain crosswalks by appropriate [traffic control]
32 devices, [including but not limited to signs,]marks, or lines upon the surface

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 of the roadway, where, in ~~[his]~~[their] opinion, there is particular danger to
2 ~~[pedestrians]~~[vulnerable road users] crossing the roadway; and

3 (B) Establish safety zones of such kind and character at such places as
4 ~~[he]~~[they] may deem necessary for the protection of ~~[pedestrians]~~[vulnerable
5 road users].

6 SECTION 2. ROA 1994, Chapter 8, Article 2 Traffic Regulations is amended
7 as follows:

8 § 8-2-1-23 FAILURE TO KEEP A PROPER LOOKOUT.

9 No person driving a motor vehicle shall fail to give ~~[his]~~[their] full attention
10 to the task of driving and to keep a proper lookout through ~~[his]~~[their]
11 windshield, side windows, and rear mirror for any vehicles, motorcycles,
12 motorscooters, farm tractors, ~~[bicycles, and pedestrians]~~[and vulnerable road
13 users] that ~~[he]~~[they] may be approaching or who may be approaching
14 ~~[him]~~[them] from any direction and from any street, alley[,][~~or~~] driveway[,
15 bikeway, or multi-use trail].

16 § 8-2-1-32 VEHICLES NOT TO OBSTRUCT INTERSECTION.

17 No driver shall enter an intersection or a ~~[marked]~~ crosswalk unless there is
18 sufficient space on the other side of the intersection or crosswalk to
19 accommodate the vehicle ~~[he is]~~[they are] operating without obstructing the
20 passage of other vehicles or ~~[pedestrians]~~[vulnerable road users],
21 notwithstanding any traffic control signal indication to proceed.

22 § 8-2-1-34 YIELDING RIGHT-OF-WAY.

23 (A) The driver of a vehicle approaching ~~[or entering]~~ an intersection shall
24 yield the right-of-way to a vehicle [or vulnerable road user] which has entered
25 the intersection from a different roadway[, multi-use trail, or sidewalk].

26 (B) When two vehicles ~~[enter or]~~ approach an intersection from different
27 roadways at approximately the same time, the driver of the vehicle on the left
28 shall yield the right-of-way to the vehicle on the right.

29 (C) The right-of-way rules declared in divisions (A) and (B) are modified at
30 through roadways and as otherwise provided in this title.

31 § 8-2-1-48 LIMITATIONS ON BACKING.

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 (A) The driver of a vehicle shall not back the same unless such movement
2 can be made with reasonable safety and without interfering with other traffic
3 [or vulnerable road users].

4 (B) No vehicle shall be backed into an intersection or around a corner
5 unless preceded by an observer to safely direct such movement.

6 (C) In no case shall a vehicle be backed more than 60 feet unless preceded
7 by an observer to safely direct such movement.

8 § 8-2-2-2 TRAFFIC CONTROL LEGEND.

9 Whenever traffic is controlled by traffic control signals exhibiting colored
10 lights or colored lighted arrows, successively one at a time, or in combination,
11 only the colors green, yellow and red shall be used, except for special
12 pedestrian control signals carrying a word legend and the lights indicate and
13 apply to drivers of vehicles and pedestrians.

14 (A) *Green Alone.*

15 (1) Vehicular traffic facing the signal may proceed straight through or turn
16 right or left unless a sign at such place prohibits either turn. But vehicular
17 traffic, including vehicles turning right or left, shall yield the right-of-way to
18 other vehicles to ~~[bicycles, to pedestrians]~~ [vulnerable road users] lawfully
19 within the intersection ~~[or an adjacent crosswalk]~~ at the time such signal is
20 exhibited; and

21 (2) Unless otherwise directed by a pedestrian control signal, ~~[pedestrians]~~
22 [vulnerable road users] facing the signal may proceed across the street within
23 any marked or unmarked crosswalk and after entering the intersection shall
24 ~~[walk as rapidly as possible in order]~~ [proceed in a manner] to clear the
25 intersection [as quickly as safely possible].

26 (B) *Green with Green Arrow.*

27 (1) Vehicular traffic facing the signal may proceed through the
28 intersection, make a right turn, or proceed in the direction indicated by the
29 green arrow, but shall not move in any other direction. Such vehicular traffic
30 shall yield the right-of-way to other vehicles~~[, to bicycles and pedestrians]~~
31 [and to vulnerable road users] legally within the intersection at the time the
32 signal is exhibited; and

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 (2) Unless otherwise directed by a pedestrian control signal, [~~pedestrians~~]
2 [vulnerable road users] facing the green signal may proceed across the street
3 within any marked or unmarked crosswalk and after entering the intersection
4 shall [~~walk as rapidly as possible in order~~][proceed in a manner] to clear the
5 intersection [as quickly as safely possible].

6 (C) *Green Arrow Alone.*

7 (1) Traffic, except pedestrians, facing a green arrow, shown alone or in
8 combination with another indication, may cautiously enter the intersection
9 only to make the movement indicated by such arrow, or such other movement
10 as is permitted by other indications shown at the same time. Such vehicular
11 traffic shall yield the right-of-way to [vulnerable road users] [~~pedestrians~~]
12 lawfully within [~~an adjacent~~][a] crosswalk and to other traffic lawfully using the
13 intersection; and

14 (2) Unless otherwise directed by a pedestrian signal, [~~pedestrians~~]
15 [vulnerable road users] facing a green arrow may not proceed across the
16 roadway within any marked or unmarked crosswalk until a steady green
17 circular signal is again shown.

18 (D) *Steady Yellow Arrow or Circular Yellow.*

19 (1) Traffic~~[, except pedestrians,]~~ facing a circular yellow or yellow arrow
20 signal is thereby warned that the related green movement is being terminated
21 or that a red indication will be exhibited immediately thereafter when vehicular
22 traffic shall not enter the intersection.

23 (2) No [vulnerable road users] [~~pedestrians, unless otherwise directed by~~
24 ~~a pedestrian signal,~~] facing the signal shall enter the roadway until the green
25 is again shown~~[, unless otherwise directed by a pedestrian signal, and except~~
26 for bicyclists, operating under the provisions of ROA 1994, Chapter 8, Article
27 3, Part 3 BICYCLES].

28 (E) *Steady Red.*

29 (1) Vehicular traffic facing the signal shall stop before entering the
30 [marked or unmarked] crosswalk, on the near side of the intersection, [~~or if~~
31 ~~there is no crosswalk, then before entering the intersection]~~ [and] shall remain
32 standing until green is shown. However, if there is no sign prohibiting a right
33 turn on a red light, such vehicle may turn right into the nearest right lane as

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 practicable after standing until the intersection may be entered safely,
2 provided that such vehicle shall yield the right-of-way to all ~~[pedestrians,~~
3 ~~bicycles]~~[vulnerable road users] and other vehicles lawfully in or approaching
4 the intersection.

5 (2) Left Turn on Red Light. When a sign is posted at the intersection
6 allowing a left turn on a red light, vehicular traffic in the lane closest to the left
7 curb may turn left into the nearest left lane as practicable after standing until
8 the intersection may be entered safely, provided that such vehicular traffic
9 shall yield the right-of-way to all ~~[pedestrians]~~[vulnerable road users] and
10 vehicles lawfully in or approaching the intersection.

11 (3) ~~[Pedestrians]~~ [Vulnerable Road Users]. No ~~[pedestrians]~~ [vulnerable
12 road users] facing the signal shall enter the roadway until the green is shown
13 alone unless authorized to do so by a pedestrian "walk" signal~~[, and except for~~
14 ~~bicyclists, operating under the provisions of ROA 1994, Chapter 8, Article 3,~~
15 Part 3 BICYCLES].

16 (F) *Red with Green Arrow.*

17 (1) Vehicular traffic facing the signal may cautiously enter the intersection
18 only to make the movement indicated by the arrow, but shall yield the right-of-
19 way to ~~[pedestrians]~~[vulnerable road users] lawfully within a crosswalk and to
20 other traffic lawfully using the intersection; and

21 (2) No ~~[pedestrians]~~ [vulnerable road user] facing the signal shall enter
22 the street unless ~~[he]~~[they] can do so safely and without interfering with any
23 vehicular traffic, and upon entering the intersection, shall ~~[walk as rapidly as~~
24 ~~possible in order]~~[proceed in a manner] to clear the intersection [as quickly as
25 safely possible].

26 (G) *Traffic Control Signal not at Intersection.* If an official traffic control
27 signal is erected and maintained at a place other than an intersection, the
28 provisions of this section shall apply, except as to those provisions which by
29 their nature can have no application. Any stop required shall be made at a sign
30 or marking on the pavement indicating where the stop shall be made, but in
31 the absence of any such sign or marking, the stop shall be made at the signal.

32 (H) (1) The driver of any vehicle approaching an intersection which has
33 official traffic control signals that are inoperative shall stop at the intersection,

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 and may proceed with caution when it is safe to do so[, yielding the right-of-
2 way to vulnerable road users in the roadway].

3 (2) When two vehicles stop at an intersection from different highways at
4 the same time, and the official traffic control signals for the intersection are
5 inoperative, the driver of the vehicle on the left shall yield the right-of-way to
6 the vehicle on [~~his or her~~][their] immediate right[and to vulnerable road users
7 in the roadway].

8 § 8-2-2-3 PEDESTRIAN CONTROL SIGNAL [, PEDESTRIAN HYBRID
9 BEACON, AND RECTANGULAR RAPID FLASHING BEACON].

10 [(A)]Whenever special pedestrian control signals exhibiting the words
11 "WALK" or "DON'T WALK" [or images depicting "WALK" or "DON'T WALK"]
12 are in place, such signals shall indicate as follows:

13 [(A)][(1)] *Steady "WALK."* [Pedestrians] [Vulnerable road users] facing such
14 signal may proceed across the roadway in the direction of the signal and shall
15 be given the right-of-way by the drivers of all vehicles even if the signal has
16 changed to a flashing "DON'T WALK" signal; and

17 [(B)][(2)] *"DON'T WALK."* No [pedestrians] [vulnerable road users] shall
18 start to cross the roadway in the direction of such signal, but any [pedestrian]
19 [vulnerable road user] who has partially completed [~~his~~][their] crossing on the
20 "WALK" signal shall [~~walk~~] [proceed] as rapidly as [safely] possible [~~to a~~
21 sidewalk or safety zone][across the roadway].

22 [(B) PEDESTRIAN HYBRID BEACON (PHB), also known as a HAWK (High-
23 intensity Activated crossWalk) Signal.

24 (1) Signal for vehicles.

25 (a) When not in use, the signal for vehicles is dark. Operators of
26 vehicles and bicycles traveling in the roadway facing the signal may proceed
27 straight through or turn right or left, unless a sign or physical barrier at such
28 place prohibits either turn. But vehicular and bicycle traffic, including
29 vehicles and bicycles turning right or left, shall yield the right-of-way to
30 vulnerable road users within the intersection at the time such signal is
31 exhibited.

32 (b) When the push-button has been activated, the signal for vehicles will
33 flash yellow for several seconds to alert drivers that the vehicular signal will

1 turn red soon, and a vulnerable road user is going to cross. Motorists and
2 bicyclists traveling in the roadway facing the signal may proceed but should
3 be prepared to stop in case the vulnerable road user begins crossing
4 prematurely, and shall stop to yield the right-of-way to any vulnerable road
5 user in the crosswalk when the vulnerable road user is upon the half of the
6 roadway upon which the vehicle is traveling, or when the vulnerable road user
7 is approaching so closely from the opposite half of the roadway as to be in
8 danger.

9 (c) When the signal for vehicles is steady yellow, the signal is about to
10 change to red. Motorists and bicyclists traveling in the roadway facing the
11 signal shall slow and stop if able to do so safely.

12 (d) When the signal for vehicles is two steady red lights, all vehicles and
13 bicyclists traveling in the roadway facing the signal must stop and remain
14 stopped.

15 (e) When the signal for vehicles is two alternating flashing red lights,
16 vehicles must stop, then may proceed with caution if the crosswalk is clear of
17 vulnerable road users; bicyclists traveling in the roadway facing the signal
18 shall yield to vulnerable road users in the crosswalk.

19 (2) Signal for vulnerable road users using crosswalk.

20 (a) Steady "WALK." Vulnerable road users facing such signal may
21 proceed across the roadway in the direction of the signal and shall be given
22 the right-of-way by the operators of all vehicles and bicycles traveling in the
23 roadway, even if the signal has changed to a flashing "DON'T WALK" signal.

24 (b) "DON'T WALK." No vulnerable road users shall start to cross the
25 roadway in the direction of such signal, but any vulnerable road user who has
26 partially completed their crossing on the "WALK" signal shall proceed as
27 rapidly as safely possible across the roadway.

28 (C) RECTANGULAR RAPID FLASHING BEACONS (RRFB).

29 (1) When the lights are flashing, the operator of a vehicle or bicycle
30 traveling in the roadway facing the signal shall stop to yield the right-of-way to
31 vulnerable road users in the crosswalk when the vulnerable road user is upon
32 the half of the roadway upon which the vehicle is traveling, or when the

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 vulnerable road user is approaching so closely from the opposite half of the
2 roadway as to be in danger.

3 (2) No vulnerable road user shall suddenly leave a curb or other place of
4 safety and proceed into the path of a vehicle or bicyclist traveling in the
5 roadway which is so close that it is impossible for the operator to stop.

6 (3) Whenever a vehicle is stopped to permit a vulnerable road user to cross
7 the roadway in a crosswalk, the operator of a vehicle or bicyclist traveling in
8 the roadway approaching from the rear shall not overtake and pass such
9 vehicle.

10 § 8-2-2-4 FLASHING SIGNALS.

11 (A) Whenever an illuminated flashing red or yellow signal is used in a traffic
12 sign or signal, it shall require obedience by vehicular traffic as follows:

13 (1) Flashing Red (Stop Signal). When a red lens is illuminated with
14 intermittent flashes, drivers of vehicles shall stop before entering the nearest
15 crosswalk at an intersection or at a limit line when marked, or if none, then
16 before entering the intersection, and the right to proceed shall be subject to
17 the rule applicable after making a stop at a stop sign[, yielding to vulnerable
18 road users];

19 (2) Flashing Yellow (Caution Signal). When a yellow lens is illuminated
20 with intermittent flashes, drivers of vehicles may proceed through the
21 intersection or past such signal with caution[, yielding to vulnerable road
22 users].

23 (B) This section shall not apply at railroad grade crossings. Conduct of
24 drivers approaching railroad grade crossings shall be governed by the rules
25 set forth in Part 8 of this Article 2.

26 § 8-2-2-5 STOP SIGNS.

27 (A) Stop. Except when directed to proceed by a police officer [or other
28 individual with authority under law to direct, control, or regulate traffic], every
29 driver of a vehicle approaching a stop sign shall stop before entering the
30 crosswalk on the near side of the intersection, or, in the event there is no
31 crosswalk, shall stop at a clearly marked line, but if none, then at the point
32 nearest the intersecting roadway where the driver has a view of approaching
33 traffic before entering the intersection.

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 (B) *Yield Right-of-Way After Stopping*. Except when directed to proceed by
2 a police officer [or other individual with authority under law to direct, control,
3 or regulate traffic], every driver of a vehicle approaching a stop intersection
4 indicated by a stop sign shall stop as required by division (A) above and, after
5 having stopped, shall yield the right-of-way [to vulnerable road users and] to
6 any vehicle which has entered the intersection from another street or which is
7 approaching so closely on the street as to constitute an immediate hazard
8 during the time when the driver is moving across or within the intersection.

9 § 8-2-2-6 YIELD SIGNS.

10 The driver of a vehicle, approaching a "YIELD" sign, shall slow to a
11 reasonable speed for existing conditions of traffic, visibility and roadway
12 surface condition, yielding right-of-way to [vulnerable road users and] all
13 vehicles on the intersecting street which constitutes an immediate hazard. The
14 driver of a vehicle who proceeds past any "YIELD" sign facing such
15 [vulnerable road user or] vehicle and who collides with a [vulnerable road user
16 or] vehicle proceeding on the intersecting street shall be deemed *prima*
17 *facie* to have violated the provisions of this title.

18 § 8-2-3-1 WHEN DANGEROUS TO PROCEED FORWARD.

19 The operator of any bicycle or motor vehicle shall stop ~~[his]~~[their] bicycle or
20 motor vehicle if possible when either a ~~[pedestrian, other bicycle]~~ [vulnerable
21 road user is in the roadway] or motor vehicle is stopped in the roadway
22 immediately ahead and a collision would occur if the operator does not stop,
23 or road and weather conditions are such that the operator's safety, the safety
24 of any other person, or any property is endangered if the operator does not
25 stop.

26 § 8-2-3-2 WHEN EMERGING FROM ALLEY, DRIVEWAY, PRIVATE ROAD AND
27 THE LIKE.

28 The driver of a vehicle emerging from an alley, a driveway, a private road, a
29 building or open land shall stop such vehicle immediately prior to driving
30 either onto the sidewalk or any sidewalk area, yielding the right-of-way to any
31 ~~[pedestrian]~~ [vulnerable road user] as may be necessary to avoid collision,
32 and before and upon entering the roadway shall yield the right-of-way to all

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 vehicles, ~~[bicycles]~~ [vulnerable road users,] or animals approaching on the
2 roadway.

3 § 8-2-3-3 KEEPING INTERSECTION UNOBSTRUCTED.

4 No driver shall enter an intersection or a ~~[marked-]~~crosswalk unless there is
5 sufficient space on the outer side of the intersection or crosswalk to
6 accommodate the vehicle ~~[he is]~~[they are] operating without obstructing the
7 passage of other vehicles or ~~[pedestrians]~~ [vulnerable road users] even
8 though a traffic control signal indicates ~~[he]~~[they] may proceed.

9 § 8-2-3-4 STOP FOR ~~[BLIND OR HANDICAPPED]~~[VISUALLY IMPAIRED
10 PERSON].

11 Whenever a pedestrian, guided by a guide dog or carrying in a raised or
12 extended position a cane or walking stick which is white in color or white
13 tipped with red, is crossing or attempting to cross a public way [at a marked or
14 unmarked crosswalk], the driver of every vehicle approaching the intersection
15 or place where such pedestrian is attempting to cross, shall bring ~~[his]~~[their]
16 vehicle to a full stop before arriving at such intersection or place of crossing,
17 and before proceeding shall take such precautions as may be necessary to
18 avoid injuring such pedestrian.

19 § 8-2-3-6 ~~[PEDESTRIAN]~~[VULNERABLE ROAD USER] IN CROSSWALK.

20 (A) ~~[In the absence of operating traffic controls at an intersection]~~[When
21 traffic control devices are not in place or not in operation], the operator of a
22 bicycle [traveling in the roadway] or vehicle shall ~~[slow down or]~~stop to yield
23 the right-of-way to a ~~[pedestrian]~~ [vulnerable road user] in a marked or
24 unmarked crosswalk. However, no ~~[pedestrian]~~ [vulnerable road user] shall
25 suddenly leave a curb or other place of safety and ~~[walk or run]~~[proceed] into
26 the path of a vehicle [or bicycle traveling in the roadway] which is so close
27 that it is impossible for the ~~[driver]~~[operator] to stop ~~[or yield]~~.

28 (B) Whenever a vehicle is stopped at a marked or unmarked crosswalk ~~[at~~
29 ~~an intersection]~~ to permit a ~~[pedestrian]~~[vulnerable road user] to cross the
30 roadway, the ~~[driver]~~[operator] of ~~[the]~~[a] vehicle [or bicycle traveling in the
31 roadway] approaching from the rear shall not overtake and pass such vehicle.

32 [(C) A person on a bicycle, tricycle, skateboard, skates, scooter, e-bike or
33 powered micromobility device upon or along a sidewalk or while crossing a

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 roadway in a crosswalk shall have the rights and duties applicable to a
2 pedestrian under the same circumstances, provided that:

3 (1) The cyclist, skater, scooter operator, e-bike or powered micromobility
4 device operator yields to pedestrians on the sidewalk or crosswalk; and

5 (2) Use of a bicycle, tricycle, skateboard, skates, scooter, e-bike or powered
6 micromobility device on the sidewalk is permitted per § 8-3-3-15 and any other
7 applicable provisions of ROA 1994, Chapter 8.]

8 § 8-2-6-10 U-TURN.

9 No vehicle shall be driven so as to make a U-turn, that is, turned so as to
10 proceed in the opposite direction, unless the U-turn can be made in safety and
11 without interfering with any other traffic [or vulnerable road user], and there is
12 no sign so prohibiting a U-turn.

13 § 8-2-7-3 RIGHT-OF-WAY IN CROSSWALK.

14 (A) When traffic control [devices]~~[signals]~~ are not in place or not in
15 operation the [driver]~~[operator]~~ of a vehicle [or bicycle traveling in the
16 roadway] shall [stop to]yield the right-of-way~~[, slowing down or stopping if~~
17 ~~need be to so yield,]~~ to a [pedestrian] [vulnerable road user] crossing the
18 roadway within a marked or unmarked crosswalk when the [pedestrian]
19 [vulnerable road user] is upon the half of the roadway upon which the vehicle
20 is traveling, or when the [pedestrian] [vulnerable road user] is approaching so
21 closely from the opposite half of the roadway as to be in danger.

22 (B) No [pedestrian] [vulnerable road user] shall suddenly leave a curb or
23 other place of safety and ~~[walk or run]~~[proceed] into the path of a vehicle [or
24 bicycle traveling in the roadway] which is so close that it is impossible for the
25 [driver]~~[operator]~~ to [stop]~~[yield]~~.

26 (C) Whenever any vehicle is stopped at a [marked] crosswalk or at any
27 [unmarked] intersection to permit a [pedestrian] [vulnerable road user] to
28 cross the roadway, the [driver]~~[operator]~~ of any other vehicle [or bicycle
29 traveling in the roadway] approaching from the rear shall not overtake and
30 pass such stopped vehicle.

31 ~~[(D) Division (A) above shall not apply under the conditions stated in § 8-2-~~
32 ~~7-4.]~~

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 [(D) A person on a bicycle, tricycle, skateboard, skates, scooter, e-bike or
2 powered micromobility device upon or along a sidewalk or while crossing a
3 roadway in a crosswalk shall have the rights and duties applicable to a
4 pedestrian under the same circumstances, provided that:
5 (1) The cyclist, skater, scooter operator, e-bike or powered micromobility
6 device operator yields to pedestrians on the sidewalk or crosswalk; and
7 (2) Use of a bicycle, tricycle, skateboard, skates, scooter, e-bike or powered
8 micromobility device on the sidewalk is permitted per § 8-3-3-15 and any other
9 applicable provisions of ROA 1994, Chapter 8.]
10 § 8-2-7-9 PROHIBITED [PEDESTRIAN][VULNERABLE ROAD USER]
11 CROSSINGS.
12 (A) [Vulnerable road users shall not cross a roadway at any place except in
13 a crosswalk, except for bicyclists operating under the provisions of ROA 1994,
14 Chapter 8, Article 3, Part 3 BICYCLES.]~~[No pedestrian shall cross between~~
15 ~~adjacent intersections at which traffic control signals are in operation.~~
16 ~~Pedestrians shall not cross at any place except in a crosswalk.]~~
17 (B) [Vulnerable road users shall not cross at an unmarked, uncontrolled,
18 unsigned crosswalk or intersection where at one of the the next two adjacent
19 crosswalks or intersections traffic control devices, signs, or lines or marking
20 are present.]~~[No pedestrian shall cross a roadway other than in a crosswalk in~~
21 ~~any business district.~~
22 ~~—(C) No pedestrian shall cross a roadway other than in a crosswalk upon any~~
23 ~~through street.~~
24 ~~—(D) No pedestrian shall cross a controlled access roadway.]~~
25 § 8-2-7-11 OBEDIENCE TO RAILROAD SIGNALS.
26 No [pedestrian] [vulnerable road user] shall pass through, around, over or
27 under any crossing gate or barrier at a railroad grade crossing while such gate
28 or barrier is closed or being opened or closed.
29 § 8-2-7-12 DRIVERS TO EXERCISE DUE CARE.
30 Notwithstanding the foregoing provisions of this article, every driver of a
31 vehicle shall exercise due care to avoid colliding with a [pedestrian]
32 [vulnerable road user] upon a roadway [in all circumstances] and shall give
33 warning by sounding the horn when necessary and shall exercise proper

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 precaution upon observing [any vulnerable road user or] a child or a confused
2 or incapacitated person upon a roadway.

3 SECTION 3. ROA 1994, Chapter 8, Article 3, Part 3 Bicycles is amended as
4 follows:

5 § 8-3-3-1 JURISDICTION.

6 The regulations in §§ 8-3-3-1 et seq. shall be applicable whenever a bicycle,
7 e-bikes, or powered micromobility devices is operated on any municipal
8 ~~[paved or dirt path or roadway]~~[bikeway or multi-use trail] set aside for the
9 exclusive use of bicycles, e-bikes, or powered micromobility devices or set
10 aside for use of bicycles, e-bikes, or powered micromobility devices with
11 pedestrians, motorcycles and/or horseback riders and shall also be applicable
12 to all streets, parking lots and the like, regardless of road surfaces covered by
13 § 8-1-3-2. Provisions listed in this Article 3 as applicable to bicycles are
14 equally applicable to e-bikes and powered micromobility devices.

15 § 8-3-3-4 TRAFFIC REGULATIONS APPLY.

16 (A) Operators of bicycles have the same rights as operators of automobiles
17 in the use of streets, highways and roadways within the city, except as
18 otherwise specifically provided herein [and in Chapter 8, Article 2].

19 § 8-3-3-5 OBEDIENCE TO TRAFFIC CONTROL DEVICES.

20 (A) Any person operating a bicycle shall obey the instructions of official
21 traffic control signals, signs, and other control devices applicable to vehicles,
22 unless otherwise directed by a police officer[-] [or other individual with
23 authority under law to direct, control, or regulate traffic, or as follows:

24 (1) Except when directed to proceed by a police officer or other individual
25 with authority under law to direct, control, or regulate traffic, every person
26 riding a bicycle and approaching a stop intersection indicated by a red traffic
27 control signal shall stop before entering the crosswalk on the near side of the
28 intersection or, in the event there is no crosswalk, shall stop at a clearly
29 marked stop line, but if none, then at the point nearest the intersecting
30 roadway before entering the intersection. After stopping, if there is no
31 approaching vulnerable road user or vehicle traffic with the right of way, the
32 person riding a bicycle may proceed through the intersection without waiting
33 for the traffic control signal to turn green.

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 (2) Except when directed to proceed by a police officer or other individual
2 with authority under law to direct, control, or regulate traffic, every person
3 riding a bicycle and approaching an intersection with a stop sign or a yield
4 sign, if there is no approaching vulnerable road user or vehicle traffic with the
5 right of way, the person riding a bicycle may proceed through the intersection
6 without stopping. If required for safety to stop, the person riding a bicycle
7 shall stop before entering the crosswalk on the near side of the intersection
8 or, in the event there is no crosswalk, at a clearly marked stop line, but if none,
9 then at the point nearest the intersecting roadway where the person riding a
10 bicycle has a view of approaching traffic on the intersecting roadway.]

11 (B) Whenever authorized signs are erected indicating that no right or left or
12 U-turn is permitted, no person operating a bicycle shall disobey the direction
13 of any such sign, except where such person dismounts from the bicycle to
14 make such turn, in which event such person shall then obey the regulations
15 applicable to pedestrians.

16 (C) Any person operating a bicycle, e-bike, or powered micromobility
17 device on a street or controlled access roadway is responsible for using due
18 care in the operation of their vehicle and or device.

19 § 8-3-3-7 OPERATION IN BICYCLE LANE.

20 Where the bicycle lane provides a minimum of four feet of ride-able space or
21 once a bicyclist has entered a bicycle lane, bicyclist shall endeavor to
22 maintain the lane except:

- 23 (A) At intersections;
- 24 (B) To pass a slower [~~bicyclist~~]vulnerable road user], or to avoid parked
25 cars or obstacles;
- 26 (C) A bicyclist may leave the bicycle lane between intersections in order to
27 make a U-turn, or left hand turn where such a turn is permissible for vehicular
28 traffic, or to turn into driveways;
- 29 (D) When leaving a bicycle lane, the bicyclist shall use caution and yield the
30 right-of-way to vehicles and other vulnerable road users].

31 § 8-3-3-8 DIRECTION OF TRAVEL IN [~~BICYCLE LANE~~]BIKEWAY].

32 No person shall ride or operate a bicycle within a [~~bicycle lane~~]bikeway] or
33 on the roadway in any direction except that permitted of vehicular traffic

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 traveling on the same side of the roadway; provided, that bicycles may
2 proceed either way along a lane where two-way bicycle traffic is so
3 designated.

4 § 8-3-3-10 DUTY OF MOTORIST TO ~~[BICYCLIST]~~[VULNERABLE ROAD USER].

5 (A) In approaching or passing a ~~[person on a bicycle]~~[vulnerable road user],
6 every person operating a motor vehicle shall proceed with caution and shall
7 pass such ~~[bicyclist]~~[vulnerable road user] at a reasonable speed and keep a
8 safe distance from ~~[him]~~[them]; provided however, in no event shall a distance
9 of less than five feet be considered a safe distance within the meaning of this
10 division.

11 (B) No person operating a motor vehicle shall harass or endanger a
12 ~~[bicyclist]~~[vulnerable road user].

13 [(C) The operator of a motor vehicle shall stop for a vulnerable road user
14 crossing the roadway within a marked or unmarked crosswalk when the
15 vulnerable road user is upon the half of the roadway upon which the vehicle is
16 traveling, or when the vulnerable road user is approaching so closely from the
17 opposite half of the roadway as to be in danger.

18 (D) Whenever any vehicle is stopped at a crosswalk or at any intersection
19 to permit a vulnerable road user to cross the roadway, the operator of any
20 other vehicle approaching from the rear shall not overtake and pass such
21 stopped vehicle.]

22 § 8-3-3-12 MOTORIST TURNING ACROSS ~~[BICYCLE LANE]~~[BIKEWAY OR
23 MULTI-USE TRAIL].

24 (A) Whenever a motorist is turning across a ~~[bicycle lane or path]~~[bikeway or
25 multi-use trail], such motorist shall maintain a proper lookout for ~~[bicyclists]~~
26 [vulnerable road users] and shall yield the right-of-way to any
27 ~~[bicyclist]~~[vulnerable road user] traveling in a ~~[bicycle lane or path]~~[bikeway]
28 or [multi-use trail] and, prior to turning right, shall merge, if practicable [and
29 not otherwise prohibited by signage or pavement markings], into the ~~[bicycle~~
30 lane][bikeway] to ~~[his]~~[their] right, if any, before the start of the turning
31 movement.

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 (B) Nothing in this section shall be deemed to relieve the motorist of duties
2 imposed by § 8-2-2-2, in particular, but not limited to, § 8-2-2-2(A)(1), (B)(1) and
3 (E)(1).

4 § 8-3-3-13 DRIVING VEHICLE ON OR ACROSS BICYCLE LANE OR
5 [PATH][MULTI-USE TRAIL].

6 No person shall drive or operate a motor vehicle upon or across a bicycle
7 [path-~~or~~] lane [or multi-use trail] except to cross such [path-~~or~~] lane[or multi-
8 use trail] when turning as permitted in § 8-3-3-12, to park such vehicle[, where
9 parking is permitted], or to leave a parking space. No person shall drive upon
10 or across a bicycle lane or [~~path~~][multi-use trail] as permitted by this section
11 except after giving the right-of-way to all [bicycles] [vulnerable road users]
12 within the lane or path.

13 § 8-3-3-15 RIDING BICYCLE~~[, E-BIKE, OR POWERED MICROMOBILITY~~
14 DEVICE] ON SIDEWALK.

15 (A) Bicyclists [and operators of e-bikes and powered micromobility
16 devices] shall not ride upon a sidewalk when there is a [wide right lane, bike
17 lane, or bike trail][bikeway or multi-use trail] adjacent to the direction of travel,
18 or when signs are posted prohibiting bicycles[e-bikes, or powered
19 micromobility devices] on the sidewalk, or when within a business district.
20 When riding on a sidewalk, a bicyclist is subject to the laws that apply to
21 pedestrians.

22 (B) If a bicyclist dismounts, the bicyclist is subject to the laws that apply to
23 pedestrians.

24 (C) Whenever a person must ride a bicycle~~[, e-bike, or powered~~
25 micromobility device] upon a sidewalk, such person shall ride slowly, shall
26 yield the right-of-way to any pedestrian, shall overtake on the left, and shall
27 give an audible signal before attempting to overtake and pass such
28 pedestrian, and shall only ride on the sidewalk on the right hand side of the
29 street, moving with the directional flow of the motor vehicle traffic.

30 SECTION 4. ROA1994, Chapter 8, Article 5 Stopping, Standing, and Parking
31 is amended as follows:

32 § 8-5-1-1 STOPPING, STANDING OR PARKING PROHIBITED NO SIGNS
33 REQUIRED.

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

- 1 No person shall stop, stand or park a vehicle except when necessary to
2 avoid conflict with other traffic or in compliance with law or the directions of a
3 police officer [or other individual with authority under law to direct, control, or
4 regulate traffic,] or traffic control device, in any of the following places:
- 5 (A) Next to a curb which is painted either yellow or red.
 - 6 (B) On a sidewalk.
 - 7 (C) Within three feet of a public or private driveway.
 - 8 (D) Within an intersection.
 - 9 (E) Within 15 feet of a fire hydrant.
 - 10 (F) On a crosswalk or within ~~[ten]~~[50] feet of a crosswalk ~~[at an intersection]~~
11 [unless the Mayor or their designated representative has specifically, by
12 markings, signs, or parking meters, indicated parking to be permitted].
 - 13 (G) Within 30 feet of the approach to any flashing beacon, stop sign, yield
14 sign, or traffic control signal located at the side of a roadway, unless the
15 Mayor or ~~[his]~~[their] designated representative has specifically, by markings
16 or by parking meters, indicated parking to be permitted.
 - 17 (H) Between a safety zone and the adjacent curb, or within 30 feet of points
18 on the curb immediately opposite the ends of a safety zone, unless the Mayor
19 or ~~[his]~~[their] designated representative has indicated a different length by
20 signs or markings.
 - 21 (I) Within 50 feet of the nearest rail of a railroad crossing.
 - 22 (J) Within 20 feet of the driveway entrance to any fire station and on the
23 side of a street opposite the entrance to any fire station within 75 feet of said
24 entrance (when properly sign-posted).
 - 25 (K) Alongside or opposite any street excavation or obstruction when
26 stopping, standing or parking would obstruct traffic.
 - 27 (L) On the roadway side of any vehicle stopped or parked at the edge or
28 curb of a street.
 - 29 (M) Upon any bridge or other elevated structure upon a roadway or within a
30 roadway tunnel.
 - 31 (N) Between the curb or edge of the roadway and the sidewalk.
 - 32 (O) In a bicycle lane.
 - 33 [(P) On a multi-use trail.]

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

1 SECTION 5. ROA 1994, Chapter 6, Article 5 the Sidewalk, Drive Pad, Curb
2 and Gutter Ordinance is amended as follows:

3 § 6-5-5-4 DEFINITIONS.

4 For the purpose of §§ 6-5-5-1 et seq., the following definitions shall apply
5 unless the context clearly indicates or requires a different meaning.

6 **CROSSWALK.** [That part of the roadway at an intersection included
7 within the prolongation or connection of the lateral lines of the sidewalks on
8 opposite sides of the highway measured from the curbs, or in the absence of
9 curbs, from the edges of the traversable roadway, whether marked or
10 unmarked; or any portion of a roadway, at an intersection, multi-use trail
11 crossing, or elsewhere, distinctly indicated for vulnerable road user crossing
12 by signage, traffic control devices, or lines or other markings on the surface.]

13 ~~[(1) That part of the streets at an intersection which is a prolongation or~~
14 ~~continuation of the lateral lines of the sidewalk on opposite sides of the street~~
15 ~~measured from the curbs, or in the absence of curbs, from the edge of the~~
16 ~~transversible street and/or;~~

17 ~~— (2) Any portion of a street, at an intersection or elsewhere, distinctly~~
18 ~~indicated as a pedestrian crossing by line or other surface markings.]~~

19 **PEDESTRIAN.** Any person ~~[afoot or in a wheel chair or other similar device]~~
20 [traveling by foot, wheelchair, or personal assistive mobility device].

21 **[VULNERABLE ROAD USER.** The term “vulnerable road user” includes:

22 (a) A pedestrian, including those persons actually engaged in work upon a
23 public way, or in work upon utility facilities along a highway, or engaged
24 in the provision of emergency services within the right-of-way;

25 (b) A person riding or leading an animal;

26 (c) A person lawfully operating or riding any of the following on a public
27 way:

28 (1) Bicycle or tricycle;

29 (2) A skateboard;

30 (3) Roller skates;

31 (4) In-line skates;

32 (5) A scooter;

33 (6) An e-bike or powered micromobility device; or

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion

- 1 (7) A wheelchair or other personal assistive mobility device;
- 2 (8) Any device designed to be used on the roadway or sidewalk that
- 3 is not a motor vehicle.]

4 SECTION 6. ROA 1994, Chapter 7, Article 15 the Automated Speed
5 Enforcement Ordinance (ASE) is amended as follows:

6 § 7-15-5 ADMINISTRATION.

7 (A) The Albuquerque Police Department and the Department of
8 Municipal Development shall be responsible for administration of this article.
9 Reasonable rules and regulations may be promulgated by the Mayor or the
10 Mayor's designee to carry out the intent and purpose of this article.

11 (B) The revenue generated through ASE shall be retained and
12 distributed in accordance with the provisions of Section 3-18-17(A)(2) NMSA
13 1978 (2009).

14 [(1) The revenue generated to the City of Albuquerque through ASE
15 shall be used exclusively for Vision Zero Traffic Safety Initiatives.

16 (2) All revenue used for Vision Zero Safety Initiatives shall be
17 displayed on a publicly available Vision Zero Dashboard that shall be
18 updated at least quarterly. The Vision Zero Dashboard shall show, at
19 a minimum, Vision Zero funding levels and sources, planned,
20 current, and completed projects, overviews of each project, project
21 locations, and project costs.]

22 (C) The contractor hired to aid in the administration of this program will
23 not be compensated based on the number of citations issued. The contractor
24 shall be compensated by a flat fee.

25 (D) An independent third-party lab shall perform a calibration test on the
26 CSD instruments used for speed detection at least annually.

27 SECTION 7. SEVERABILITY. If any section, paragraph, sentence, clause,
28 word or phrase of this Ordinance is for any reason held to be invalid or
29 unenforceable by any court of competent jurisdiction, such decision shall not
30 affect the validity of the remaining provisions of this Ordinance. The Council
31 hereby declares that it would have passed this Ordinance and each section,
32 paragraph, sentence, clause, word or phrase thereof irrespective of any
33 provision being declared unconstitutional or otherwise invalid.

1 SECTION 8. COMPILATION. SECTIONS 1-7 of this Ordinance amends, is
2 incorporated in, and is to be compiled as part of the Revised Ordinances of
3 Albuquerque, New Mexico, 1994.

4 SECTION 9. EFFECTIVE DATE. This Ordinance takes effect five days after
5 publication by title and general summary.

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29


30

31

32

33

[Bracketed/Underscored Material] - New
[Bracketed/Strikethrough Material] - Deletion



CITY OF ALBUQUERQUE
Albuquerque, New Mexico
Office of the Mayor

Mayor Timothy M. Keller

INTER-OFFICE MEMORANDUM

September 26, 2025

TO: Brook Bassan, President, City Council

FROM: Timothy M. Keller, Mayor



SUBJECT: Vulnerable Road User Ordinance Amendments

The attached legislation amends the Traffic Code, Sidewalk Ordinance, and Automated Speed Enforcement (ASE) Ordinance to improve safety for vulnerable road users. The City of Albuquerque's Traffic Code was adopted in 1974 and to a great extent has remained unchanged, while best practices with respect to vulnerable road users, including bicyclists and pedestrians, have evolved significantly since the adoption of the City's Traffic Code. The proposed amendments are needed to improve and promote safe use of the City's streets, sidewalks, bikeways, and multi-use trails.

This legislation is consistent with the adopted Vision Zero Action Plan called the Year-in-Review for 2023 and Citywide Rank 2 Bikeway and Trail Facilities Plan (2024), and implements recommendations in both plans. Proposed amendments include:

- New and updated definitions;
- Revised language for clarity and inclusivity as well as consistency with new and updated definitions;
- New and/or revised requirements for both vehicles and vulnerable road users for clarity and enhanced safety for all road users;
- Inclusion of language regarding bicycles at red traffic signals and stop signs, consistent with adopted revisions to NMSA § 66-7-345;
- Clarification that the City's Vision Zero program is the City of Albuquerque's traffic safety program as required by NMSA § 3-18-17 for municipal use of ASE revenue.

TITLE/SUBJECT OF LEGISLATION*** *Same as subject line on last page)*

Approved:

Approved as to Legal Form:


Samantha Sengel, EdD Date
Chief Administrative Officer

DocuSigned by:
 9/29/2025 | 3:12 PM MDT
1A21D96D32C74EE...
Lauren Keefe Date
City Attorney

Recommended:

 DS
 9/26/2025 | 4:38 PM MDT
82203CCDD87B47E...
Jennifer Turner Date
Director

Cover Analysis

1. What is it?

This legislation includes proposed updates to the City's existing ordinances concerning bicyclist, pedestrian, and vulnerable road user safety.

2. What will this piece of legislation do?

This legislation will amend the Traffic Code and Sidewalk Ordinance to improve protections for vulnerable road users, and amends the Automated Speed Enforcement Ordinance to clarify that Vision Zero is the City of Albuquerque's traffic safety program.

3. Why is this project needed?

These changes are needed to improve and promote safe use of the City's streets, sidewalks, bikeways, and multi-use trails.

4. How much will it cost and what is the funding source?

There is no cost associated with this legislation.

5. Is there a revenue source associated with this contract? If so, what level of income is projected?

No.

6. What will happen if the project is not approved?

City ordinances concerning vulnerable road users will remain inadequate and outdated.

7. Is this service already provided by another entity?

No.

FISCAL IMPACT ANALYSIS

TITLE: AMENDING THE TRAFFIC CODE AND THE SIDEWALK ORDINANCE

O:
FUND:

DEPT:

- No measurable fiscal impact is anticipated, i.e., no impact on fund balance over and above existing appropriations.
- (If Applicable) The estimated fiscal impact (defined as impact over and above existing appropriations) of this legislation is as follows:

	2025	Fiscal Years 2026	2027	Total
Base Salary/Wages				-
Fringe Benefits at				-
Subtotal Personnel	-	-	-	-
Operating Expenses				-
Property				-
Indirect Costs	-	-	-	-
Total Expenses	\$ -	\$ -	\$ -	\$ -
<input type="checkbox"/> Estimated revenues not affected				
<input type="checkbox"/> Estimated revenue impact				
Revenue from program				0
Amount of Grant		-	-	
City Cash Match				
City Inkind Match				
City IDOH	-	-	-	-
Total Revenue	\$ -	\$ -	\$ -	\$ -

These estimates do not include any adjustment for inflation.

* Range if not easily quantifiable.

Number of Positions created

COMMENTS: No Fiscal Impact to the General Fund

COMMENTS ON NON-MONETARY IMPACTS TO COMMUNITY/CITY GOVERNMENT:

PREPARED BY:

DocuSigned by:
Christina Owens 9/26/2025 | 4:37 PM MDT
FISCAL ANALYST

APPROVED:

DocuSigned by:
Jennifer Turner 9/26/2025 | 4:38 PM MDT
DIRECTOR

REVIEWED BY:

DocuSigned by:
Kevin E. Noel 9/26/2025 | 4:52 PM MDT
EXECUTIVE BUDGET ANALYST

Signed by:
Dorena Sandova 9/28/2025 | 9:15 AM MDT
BUDGET OFFICER

Signed by:
Alvin M. Bourner 9/29/2025 | 11:24 AM MDT
CITY ECONOMIST